

www.**medlis**.com.tr muur**medlisramos**.com 2018 2019

extremely easy to use wheelchair ramps



FOLDABLE RAMP

FOLDABLE

Extremely easy to use ramps Don't need to carry!

Mobile transport and easy foldable structure on wheels

Portable

Wheelchair Ramps

Easy to use, Foldable and Lightweight

Minimum Storage Area

Folded depth dimension is only 15 cm! Smaller than a suitcase.




FOLDABLE RAMPS TECHNICAL DETAILS

- Mobile Transportation: Extremely easy to use with wheels; just fold and move on wheels.
- Portable and foldable structure, easy to use and ready to use in seconds!
 Practical Foldable Design: Easy Foldable and minimum storage area, only
- 15 cm depth.
- · Safety Use: 6cm height on ramp side borders for safety wheelchair use · Any ramp longer than 240 cm includes antislip height adjustable
- support feet.
- 6060 Aircraft Aluminium Material: Strong and quality aluminium structure
- · Safety Design: Antislip ramp surface and hole design for safety use every weather conditions

Ramp Dimensions: Width: 70 cm/80 cm/90cm Lenght: from 100 cm to 300 cm Weight: 7 kg/m Capacity: 350 kg





Ramps for Accessibility

Foldable Ramps offer minimum storage area; foldable, portable and mobile use functions, ease of use and safety access for wheelchair users



ROLL
UP
RAMP

ROLL UP RAMP

Roll Up Ramp has a new unique function from now on. Mobile transport and easy foldable structure on 'wheels'.

Just fold and move on wheels. Don't need to carry!

Unlimited Length

Modules can be addded/removed by user



ROLL UP RAMP TECHNICAL DETAILS

- Ready to use in seconds; foldable and mobile transport on wheels.Mobile Transportation: Extremely easy to use with wheels; Portable and Mobile!
- · Portable and foldable structure, easy to use and ready to
- Unlimited ramp length; add / remove ramp modules to reach unlimited

- ramp length.

 Practical Foldable Design: Easy Foldable and minimum storage

 Safety Use: 6cm height on ramp side borders for safety wheelchair use

 Aircraft Aluminium Material: Strong and quality aluminium structure

 Safety Design: Antisip ramp surface and hole design for safety use every weather conditions

Standard Single Ramp Width:
70cm - 80cm - 90cm - 100cm
Twin Ramp Width: 25cm-30cm-35cm
Length: Unlimited
Modular add/remove ramp modules
to reach unlimited length.
Any ramp longer than 240cm have H type
antislip support feet
Load capacity is 350 kg Weight of ramp : 10 kg/m 6060 aircraft aluminium material



Ramps for Accessibility

for historical places with portable use.









PORTABLE PLATFORM

L PORTABLE PLATFORM

Unique solution for unsuitable places to use ramp like shops, bank branches which have narrow pavements to enterance.

Just move on wheels and unfold: It's ready to use in seconds!







Dimensions	Platform	Platform Ramp
Width	90 cm/100 cm	90 cm/100 cm
Lenght	90 cm/100 cm	180 cm/200 cm
Weight	15 kg/17 kg	27 kg/28 kg
Height	12-18 cm/18-35 cm/35-51cm	
Capacity	350) kg

Platforms for Accessibility

Foldable Platforms offer minimum storage area, foldable, portable and mobile use functions ease of use and safety access for wheelchair users



- Portable and foldable structure, easy to use and ready to use in seconds!
 Move on wheels and do not carry!
 Unfold the platform and adjust the height of platform by milimetric height adjustable

- antisip sopport reet.

 3 sides of platform can be used for enterance.

 Practical Foldable Design: Easy Foldable and minimum storage area, only 17cm depth.

 Safety Use: 6cm height on ramp side borders for safety wheelchair use

 6060 Aircraft Aluminium Material: Strong and quality aluminium structure

 Safety Design: Antislip ramp surface and hole design for safety use every weather conditions







VAN RAMPS

L VAN RAMPS

Extremely easy to fold in/out of vehicles with less effort. Easy to fold in/out of van with 2 pcs gas springs and lightweight aluminium structure.



van Ramps

- Practical Foldable Design: Easy Foldable and minimum storage area (only 14 cm ramp width; 20 cm total width on vehicle)
 Safety Use: 6 cm height on ramp side borders for safety wheelchair use
 6060 Aircraft Aluminium Material: Strong and quality aluminium structure
 Safety Design: Antislip ramp surface and hole design for safety use every weather conditions
 Quick release detachable Van Ramp installation kit.



RAMP DIMENSIONS

Milli Billicilolollo		
	Total Width	70 cm-80 cm-90 cm-100 cm
	Length	160 m - 240 m
	Load capacity	350 kg
	Weight of ramp	17 kg
		6060 aircraft aluminium material





Lightweight and foldable twin ramps. 6060 aluminium structure and high loading capacity for vehicle access.





- Portable and foldable structure, easy to use and ready to use in seconds!
 Practical foldable Design: Easy foldable and minimum storage area, only 15 cm depth.
 Safety Use: 6 cm height on ramp side borders for safety wheelchair use
 6060 Aircraft Aluminium Material: Strong and quality aluminium structure
 Safety Design: Antislip ramp surface and hole design for safety use every weather conditions





Total Width	(Twin) 25 cm-30 cm-35 cm
Length	Form 100 cm to 300 cm
Load capacity	min 350 kg
Weight of ramp	3 kg/m (twin _1 pc) 6060
	aircraft aluminium material

Ramps for Accessibility

Foldable Ramps have minimum storage area, foldable and portable functions offer easy to use and safety access for wheelchair users



⊕ www.medlis.com.tr info@medlis.com.tr

* www.medlisramps.com

Bu kataloğun basımı KOSGEB tarafından desteklenmiştir. Basım Tarihi: Ağustos - 2018 1000 adet basılmıştır.



T.C. Bilim, Sanayi ve Teknoloji Bakan**lı**ğı Küçük ve Orta Ölçekli İşletmeleri Geliştirme ve Destekleme İdaresi Başkan**lı**ğı www.kosgeb.gov.tr

